

DEPARTMENT OF PUBLIC HEALTH
HUMAN RESOURCES BRANCH
EXAMINATION SERVICES UNIT

NOTICE OF CORRECTION

EXAM FOR THE FOLLOWING: EXAM CODE:

SENIOR CLINICAL LABORATORY TECHNOLOGIST 5H150

EXAM BASE: OPEN STATEWIDE

THIS NOTICE IS TO EXTEND THE FINAL FILING DATE

FINAL FILING DATE: (ORIGINAL JULY 30, 2015) NEW AUGUST 31, 2015

STATE APPLICATIONS MUST BE HAND DELIVERED OR POSTMARKED NO LATER THAN AUGUST 31, 2015 TO THE FOLLOWING:

US MAIL

DEPARTMENT OF PUBLIC HEALTH
1501 CAPITOL AVE, SUITE 71.1501
P.O. BOX 997378, MS 1700-1702
SACRAMENTO, CA 95899-7378

IN PERSON

DEPARTMENT OF PUBLIC HEALTH
1501 CAPITOL AVE, SUITE 71.1501
SACRAMENTO, CA 95899-7378
PHONE: (916) 319-9759

THE FINAL FILING DATE HAS BEEN EXTENDED TO AUGUST 31, 2015.

APPLICATIONS POSTMARKED AFTER THE FINAL FILING DATE OF AUGUST 31, 2015, WILL NOT BE ACCEPTED FOR ANY REASON. IF YOU HAVE ALREADY FILED YOUR APPLICATION FOR THIS EXAMINATION, IT IS NOT NECESSARY TO RE-FILE.

DO NOT SUBMIT APPLICATIONS TO THE STATE PERSONNEL BOARD OR THE CALIFORNIA DEPARTMENT OF HUMAN RESOURCES. ALSO, THE DEPARTMENT OF PUBLIC HEALTH WILL NOT ACCEPT APPLICATIONS SENT ONLINE, VIA INTER-AGENCY MAIL, GOLDEN STATE OVERNIGHT OR FAX.