



Food and Drug Branch – Drug Recalls

# CALIFORNIA DRUG RECALL INFORMATION SHEET

**LABORATORIOS JALOMA S.A. de C.V. is recalling Jaloma Antiseptic Hand Sanitizer, Ethyl Alcohol 62% With vitamin E due to the potential presence of methanol (wood alcohol).**

Recall Date	Product Description	Recalling Firm	Recall Reason
7/31/20	<b>Jaloma Antiseptic Hand Sanitizer, Ethyl Alcohol 62% With vitamin E</b> <ul style="list-style-type: none"> <li>• <b>NDC 65055-600-02</b>  <b>16.9 fl oz. (500 mL) PET or HDPE plastic bottles</b>  <b>UPC: 7 59684 51503 3</b></li> <li>• <b>NDC 65055-600-01</b>  <b>4 fl oz. (120 mL) PET plastic bottles</b>  <b>UPC: 7 59684 51502 6</b></li> </ul>	<b><u>LABORATORIOS JALOMA S.A. de C.V.</u></b>  (product of Mexico)	Potential Presence of Undeclared Methanol (Wood Alcohol)
Recall Class	Product Identification	Distribution	Affected Dates
N/A	<b><u>All</u> Lots and Bottle Sizes Recalled</b>	Nationwide	N/A

FOR ADDITIONAL INFORMATION, PLEASE VISIT THE [FDA WEBSITE](#)

