

Healthcare-Associated Infections Report, 2016



Kindred Hospital, Los Angeles (Los Angeles)

Hospital Characteristics


County: **Los Angeles**
 Medical School Affiliation: **No**
 Hospital Type: **LTAC**

Select by Facility Name
 Kindred Hospital, Los Angeles

The **blue lines** show this hospital's healthcare-associated infection (HAI) incidence for 2015 and 2016, reported as standardized infection ratios (SIR) when possible. Each result is interpreted as the ☹ Same, ★ Better, or ✖ Worse than the national or state comparison.

Central Line Associated Bloodstream Infection (CLABSI)


2016 Reported: 58
 2016 Predicted: 16.9
 Central Line Days: 10,971
 SIR: 3.44



2016 Comparison: ✖ **Worse than 2015 National Baseline**

Methicillin-Resistant *Staphylococcus aureus* Bloodstream Infection (MRSA BSI)


2016 Reported: 17
 2016 Predicted: 3.6
 Patient Days: 28,581
 SIR: 4.68



2016 Comparison: ✖ **Worse than 2015 National Baseline**

Vancomycin-Resistant *Enterococcus* Bloodstream Infection (VRE BSI)

2016 Reported: 21
 Patient Days: 28,581
 Rate*: 7.35




2016 Comparison: ✖ **Worse than Statewide Rate**

*SIR unavailable. Rate per 10,000 patient days

Clostridium difficile Infection (CDI)

2016 Reported: 50
 2016 Predicted: 34.2
 Patient Days: 28,581
 SIR: 1.46



2016 Comparison: ✖ **Worse than 2015 National Baseline**

This hospital did not report surgical procedures in 2016.

Data tables available from the California Health and Human Services Open Data Portal: <https://chhs.data.ca.gov/>

Information on interpreting this report: <https://www.cdph.ca.gov/Programs/CHCQ/HAI/Pages/AnnualHAIReports.aspx>