

HIV and Transgender People


California, 2017

Although rates among transgender people are not available, HIV prevalence among transgender people in the US is estimated to be 9.2% overall (14.1% among transgender women and 3.2% among transgender men). By comparison, HIV prevalence in California is about 0.3%, which means HIV rates among transgender people are about 31 times higher. In 2017, 94% of transgender people who received an HIV diagnosis in California were transgender women.


Demographics of New Diagnoses (N=77)














From 2010 to 2017 the overall rate* of new HIV diagnoses increased by 5% among transgender people

44%


in the rate* of new HIV diagnoses among transgender 13-24 year olds

90% 1

in the rate* of new HIV diagnoses among transgender 25-34 year olds

32%

in the rate* of new HIV diagnoses among transgender Black/African Americans




DECREASES IN RATES AMONG:


- All age groups, except the 25-34 age group
- Whites (31%↓)
- Latinxs (5%↓)

INCREASES IN RATES AMONG:

- Persons aged 25-34 (90%个)
- Black/African Americans (32%个)

HEALTH OUTCOMES





Transgender people newly diagnosed with HIV infection, linkage to care (LTC) within one month of diagnosis, and viral suppression (VS) within 6 months of diagnosis — California, 2017

Demographic group		2017	%Total	LTC	%LTC	VS	%VS
Transgender adult or adolescent	Sexual contact only	57	74.0%	45	78.9%	35	61.4%
(>12 years old at diagnosis)	IDU (regardless of sexual contact)	8	10.4%	5	62.5%	5	62.5%
	Unknown risk	12	15.6%	4	33.3%	4	33.3%
	Other	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	Latinx	39	50.6%	30	76.9%	27	69.2%
	American Indian/Alaka Native	0	0.0%	0	0.0%	0	0.0%
	Asian	6	7.8%	4	66.7%	1	16.7%
	Black/African American	22	28.6%	11	50.0%	9	40.9%
	Native/Hawiian/Other Pacific Islander	0	0.0%	0	0.0%	0	0.0%
	White	7	9.1%	6	85.7%	5	71.4%
	Multiple races	3	3.9%	3	100.0%	2	66.7%
Age at diagnosis (in years)	13 to 24	11	14.3%	6	54.5%	5	45.5%
	25 to 34	43	55.8%	29	67.4%	25	58.1%
	35 to 44	16	20.8%	13	81.3%	10	62.5%
	45 to 54	6	7.8%	5	83.3%	3	50.0%
	≥55	1	1.3%	1	100.0%	1	100.0%
	Total	77	100.0%	54	70.1%	44	57.1%

Note: IDU (regardless of sexual contact) includes transgender people who reported both sexual contact and IDU or IDU only.

Technical Notes

The information presented in this report is based on HIV surveillance data reported to the Office of AIDS through January 9, 2019, allowing for a minimum of 12 months' reporting delay. For living HIV cases, persons are presumed to reside in California if the most recent available address is located in the state. For new diagnoses, persons are included if they were living in California at the time of diagnosis.

The term HIV infection is defined as any diagnosis of HIV infection that met the CDC surveillance case definition, regardless of the stage of disease (stage 0, 1, 2, 3 [AIDS], or unknown) at time of initial diagnosis. This report does not include estimates of the number of persons who are infected with HIV, but not yet diagnosed. Because persons test at differing times after becoming infected, the number of persons with newly diagnosed HIV infection is not necessarily representative of persons newly infected with HIV (HIV incidence).

Age: For newly diagnosed persons, the age group is based on the date of diagnosis.

Gender: Persons were classified as being transgender if a case report form affirming their transgender status was present in HIV surveillance data by January 9, 2019.

Race and ethnicity: Latinx persons can be of any race.

Transmission category: Transmission category is the term for classifying cases based on a person's reported HIV risk factors. The classification results from selecting the single risk factor most likely to have been responsible for transmission, even if multiple risk factors were reported.

Gay, bisexual, and other men who have sex with men are in the transmission category of MMSC. Transgender persons who report sexual contact are placed in the transmission category of TGSC, regardless of IDU, unless otherwise noted. Transgender persons who do not report sexual contact but who inject drugs are in the transmission category IDU, unless otherwise noted. Persons whose transmission category is classified as heterosexual contact are cisgender persons who reported engaging in heterosexual intercourse with a person of the opposite sex-at-birth. The heterosexual categories exclude men who report ever having had sexual contact with both men and women—these persons are classified as MMSC. Cases of HIV infection reported without a risk factor listed in the hierarchy of transmission categories are classified as "unknown risk." Other includes exposure to blood transfusion or blood products, receiving a transplant, and other unspecified risks.

Rate*: Traditionally, disease rates take the form of "X number of cases per 100,000" of the population group specified. However, for some populations, such as transgender people, it can be difficult to accurately estimate population denominators. For that reason, the rates* reported on this fact sheet represent the number of transgender cases per 100,000 persons within the specified race/ethnicity and/or age group. Even though this is not a true rate, it is used to assess trends among a particular group.

Linked to Care: Persons who had at least one CD4, viral load, or HIV-1 genotype test within the specified time period after diagnosis were considered to be linked to care during that time period.

Viral Suppression: Persons whose most recent HIV viral load test result within the reported time period following diagnosis was ≤ 200 copies/ml were considered to be virally suppressed.